



Negative Pressure Wound Therapy Course Competency Post-Test

- 1) Negative Pressure Wound Therapy (NPWT) is indicated in which stage pressure ulcers?
 - a. Stage I
 - b. Stage II
 - c. Stage III & IV
 - d. Stage II & III

- 2) The Venturi NPWT System has which component in all of their dressing kits?
 - a. Foam
 - b. Synthetic gauze
 - c. Antimicrobial gauze
 - d. Hydrocolloid

3. Which of the following are indications for NPWT?
 - a. Full thickness pressure ulcers
 - b. Dehisced surgical wounds
 - c. Diabetic wounds
 - d. Acute & Traumatic wounds

4. The recommended suction level for the Venturi NPWT System is:
 - a. -40 to -50 mmHg
 - b. -60 to -80 mmHg
 - c. -100 mmHg
 - d. -120 mmHg

5. Round drains in the Venturi NPWT System can be utilized in which of the following situations?
 - a. Clean wounds
 - b. Tunneled or sinus tract wounds
 - c. Large easily visible wound beds
 - d. None of the above

6. The non-adherent contact layer is constructed of _____ material:
- Cotton
 - Silver
 - Mesh
 - Nylon
7. The Venturi NPWT System dressing changes are recommended every _____ hours?
- 12
 - 24
 - 48
 - 72
8. The Venturi NPWT System requires a _____ for use on a patient.
- Power of Attorney
 - Physician prescription
 - Waiver from patient or responsible party
 - All of the above
9. Negative Pressure Wound Therapy is an _____ wound treatment intervention:
- Old
 - Non-accepted
 - Advanced
 - None of the above
10. Multiple wounds can be treated at the same time with the Venturi NPWT System:
- True
 - False

Name/Title _____ Date _____

Internal Use		
Score:	Initials of preceptor:	Certificate issued date:
Certificate mail date:		Certificate file #: